Author Index of Volume A30

Andreev, A., 215
Antonov, S., 63

Baizar, R., 175
Bajtsar, A., 59
Barnes, C., 197
Bergveld, P., 231
Bogdanova, N., 175
Boursas, A., 105
Buff, W., 117

Červeň, I., 123
Crazzolara, H., 241
Culshaw, B., 203

de Ridder, R. M., 89
Diankov, G., 215
Druzhinin, A. A., 143

Eijkel, C. J. M., 89
Elwenspoek, M., 35

Fluitman, J. H. J., 35, 89
Fotheringham, G., 157

Grattan, K. T. V., 129, 181
Gridchin, V. A., 139, 219
Groenland, J. P. J., 89

Hälg, B., 225
Hess, G., 251
Huijsing, J. H., 167

Ivanov, I., 63
Ivković, M., 1

Karetnikova, E., 27
Kebedjiev, A., 215
Kopystynski, P., 149
Kostur, V. G., 143
Kováč, J., 123
Krasnogenov, E., 175
Kuhn, J., 73
Kühnel, W., 251
Kutrakov, A., 27

Lacko, T., 123
Lubimskyi, V. M., 219

Maryamova, I. I., 27, 143
Mikolajczuk, O., 59
Minkina, W., 209
Minkova, T., 101
Mironov, V., 63
Möller, F., 73
Murakami, K., 193

Nägele, M., 241
Nebrigić, D., 1
Nedev, N., 105
Nešković, A., 1
Nihtianov, S., 101
Ning, Y. N., 181
Novotný, I., 123

Obermeier, E., 149
Olthuis, W., 231
Ono, Y., 193

Palmer, A. W., 129, 181
Pankov, Ju. M., 143
Pelekh, L. N., 55
Pešić, Lj., 1
Pucklyakov, Y. A., 139

Rao, Y. J., 203
Roumenin, Ch. S., 77

Sarina, M. P., 219
Scheeper, P. R., 231
Shurman, L. B., 139
Smirnov, N., 105
Spassov, L., 67
Stamenov, V., 1
Sukharev, Yu., 63

Takayama, S., 193
Tilmans, H. A. C., 35
Tretyakov, Y., 59
Tvarožek, V., 123

Vainberg, V. V., 55
van Oudheusden, B. W., 5
Varshava, S. S., 55
von Münch, W., 241
Voorthuyzen, J. A., 231
Voronin, V. A., 27, 143, 175

Wolffenbuttel, R. F., 109

Yamamoto, T., 193

Zafirova, B., 215
Zaganyach, Y., 27

Elsevier Sequoia

Subject Index of Volume A30

Arsenic
variband $GaAs_{(1-x)}P_x$; material for pressure sensors, 139
Attractive forces
between PECVD Si nitride microstructures and oxidized Si substrate, 231

Bias stabilization
Si pressure sensor with integrated, and temperature compensation, 241

Electrodes
a-Si:H position-sensitive detector with striped metal, 193

Fibre-optic interferometric systems
using low-coherence light sources, 181
Fiber-optic temperature-measurement instrument
wavelength-demultiplexed, 215
Force gauges
micro resonant, 35
Frequency output
magnetic-field-sensitive device with, 101

Gallium
variband $GaAs_{(1-x)}P_x$; material for pressure sensors, 139
Galvanomagnetic effects
three-dimensional modelling of, in lateral magnetotransitor structure, 105

Hall microsensors
parallel-field; overview, 77

Integrated smart sensors, 167

Laser-recrystallized polysilicon
layers in sensors, 143
Liquid-immersed quartz microbalances
some new concepts on factors influencing operational frequency of, 197
Low-coherence light sources
fibre-optic interferometric systems using, 181
Low-temperature sensors
based on telluride microcrystals, 55

Measuring circuit
operation of monocrystal line Si resonator in, 175
Mechanical sensors
Si whiskers for, 27
Magnetic-field-sensitive device
with frequency output, 101
Magnetic sensors
permalloy thin-film, 89
Magnetotransistor structure
three-dimensional modelling of galvanomagnetic effects in lateral, 105
Manganese
thin-film $ZnS:MnF_2$ temperature sensor with visual indication, 63
Microbalances
some new concepts on factors influencing operational frequency of liquid-immersed quartz, 197
Microelectronic sensors
optical-fibre sensor technology; challenge to, 129
Microphones
Si condenser, with structured back plate and Si nitride membrane, 251
Micro resonant force gauses, 35
Microresonators
comparison between optically excited vibrations of Si cantilever and bridge, 203
Microsensor(s)
parallel-field Hall; overview, 77
Microsensor applications
polysilicon as material for, 149
Monocrystal line silicon resonator
operation of, in measuring circuit, 175
Multi-chip modules
simulation methods for, 157

Operational frequency
some new concepts on factors influencing, of liquid-immersed quartz microbalances, 197
Optical-fibre sensor technology
challenge to microelectronic sensors?, 129
Optically excited vibrations
comparison between, of Si cantilever and bridge micro-resonators, 203
Optical readout
Si pressure sensor with low-cost contactless interferometric, 225

Permalloy
thin-film magnetic sensors, 89
Phosphorus
variband $GaAs_{(1-x)}P_x$; material for pressure sensors, 139
Piezoelectric quartz resonators
as highly sensitive temperature sensors, 67
Plasma-enhanced chemical vapour deposition
investigation of attractive forces between PECVD Si nitride microstructures and oxidized Si substrate, 231
Position-sensitive detector
a-Si:H, with striped metal electrodes, 193
Pressure sensor(s)
Si, with integrated bias stabilization and temperature compensation, 241
Si, with low-cost contactless interferometric optical readout, 225
variband $GaAs_{(1-x)}P_x$; material for, 139
Pressure transducer
thick-film resistive, 1

Radiant sensors
Si micromachining for integrated, 109
Resistance thermometers
thin-film, for use in aggressive surroundings, 59
R.f. reactive sputtering
of Zn oxide films on Si and $Si–SiO_2–TiN$ substrates, 123

SAW resonator
temperature sensor, 73

SAW sensors, 117
Silicon
  a-Si:H position-sensitive detector with striped metal electrodes, 193
  comparison between optically excited vibrations of Si cantilever and bridge microresonators, 203
  condenser microphone with structured back plate and Si nitride membrane, 251
  investigation of attractive forces between PECVD Si nitride microstructures and oxidized Si substrate, 231
  laser-recrystallized polysilicon layers in sensors, 143
  micromachining for integrated radiant sensors, 109
  operation of monocrystal line Si resonator in measuring circuit, 175
  polysilicon as material for microsensor applications, 149
  polysilicon strain-gauge transducers, 219
  pressure sensor with integrated bias stabilization and temperature compensation, 241
  pressure sensor with low-cost contactless interferometric optical readout, 225
  r.f. reactive sputtering of Zn oxide films on Si and Si–SiO_2–TiN substrates, 123
  thermal flow sensors, 5
  whiskers for mechanical sensors, 27
Simulation methods
  for multi-chip modules, 157
Strain-gauge transducers
  polysilicon, 219

Telluride microcrystals
  low-temperature sensors based on, 55
Temperature compensation
  Si pressure sensor with integrated bias stabilization and, 241
Temperature-measurement instrument
  wavelength-demultiplexed fiber-optic, 215
Temperature sensor(s)
  piezoelectric quartz resonators as highly sensitive, 67
  SAW resonator, 73
  thin-film ZnS:MnF_2, with visual indication, 63
Temperature sensor dynamics
  non-linear models of, 209
Thermal flow sensors
  Si, 5
Thermometers
  thin-film resistance, for use in aggressive surroundings, 59
Titanium
  r.f. reactive sputtering of Zn oxide films on Si and Si–SiO_2–TiN substrates, 123

Zinc
  r.f. reactive sputtering of Zn oxide films on Si and Si–SiO_2–TiN substrates, 123
  thin-film ZnS:MnF_2 temperature sensor with visual indication, 63